



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
 Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/GJ/104/5576 (P416036)

Dated : 20/02/2018

To,

M/s. Rotex Automation Limited,
PlotNo,987/11, 12 & 13,
GIDC, Makarpura, Vadodara,
Vadodara,
Taluka: Vadodara,
District: VADODARA,
State: Gujarat,
PIN: 390010

Sub : Approval of Increased Safety, Encapsulated, Flame Proof Type Electrical Equipments under Petroleum Rules 2002. under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN133669** dated **25/10/2017** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **EN 60079-0 : 2012/A11:2013, EN 60079-18 : 2009, EN 60079-7 : 2007, IS/ IEC 60079-0 : 2007, IS/ IEC 60079-1 : 2007,** standards and covered under **Technicka Inspekcia a.s.** Test reports mentioned below is/are approved for use in **Zone 2** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Terminal Box Solenoid with Horizontal Cable Entry Type 58, Size I/II/III/IV and Type 58-LT, Size I/II/III/IV (Approved for use in Zone 2 only)	Exe mb IIC T6..T4 Gb	P416036/1	Technicka Inspekcia a.s.	TI15ATEX 1408x	13/10/2015	11-Ex-emb-58LT-HCE, 11-Ex-emb-58-HCE Sheet1-5
2	Flameproof Solenoid Junction Box-Bottom Cable Entry, (Size	Exd IIC T6..T3 Gb	P416036/2	Karandikar Laboratories Pvt. Ltd.	KLPL/Ex/14-087x	04/09/2014	11-KLPL-02-013-000 Sheet 1-4, 11-

II/III/V), Code 87/87- A (Approved for use in Zone 1 & 2)					KLPL- 02-013- 000-A Sheet 1- 4
---	--	--	--	--	--

This Approval is granted subject to observance of the following conditions:-

- 1) The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Test Reports referred to above.
- 2) The equipment shall be used only with approved type of accessories and associated apparatus.
- 3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the Karandikar Laboratories Pvt. Ltd./ Technicka Inspekcia a.s. applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) BIS approval number.
 - (f) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Test report and is identical with the one tested and certified at Testing agency shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by Karandikar Laboratories Pvt. Ltd./ Technicka Inspekcia a.s. and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its safe characteristics.
- 6) The IS/IEC 60079-17 and IS/IEC 60079-19 shall be followed for maintenance and repair of overhaul of the subject equipments.

Conditions of the Approval:-

The approval for equipment No. 1 is subject to validity of production quality assessment notification No. Baseefa ATEX 6344.

The approval for equipment No. 2 is subject to validity of BIS License No. CM/L- 7229976.

This approval also covers the permissible variations as approved under the Technicka Inspekcia a.s. test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto **31/12/2022**

Yours faithfully,

(Ninad Dattaram Gawade)
Dy. Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.

Disclaimer : This page gives the latest action taken by this organization on your application. This page is made available for the information of concerned applicant/licensee only. For documentary purposes, only the original documents issued under the seal and signature of the respective offices of Petroleum & Explosives Safety Organization shall be valid. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.